

References for Irish Groundwater Newsletter Issue 53 article:

Groundwater pathogens and disease: viruses

Paul Hynds, Dublin Institute of Technology

Available from: <https://www.gsi.ie/Programmes/Groundwater/Groundwater+Newsletter.htm>

Azadpour-Keeley A., Ward AH. (2005). Transport and Survival of Viruses in the Subsurface—Processes, Experiments, and Simulation Models. *Remediation*. Summer 2005

Borchardt MA., Bradbury KR., Alexander EC., Kolberg RJ., Alexander SC., Archer JR. (2011). Norovirus outbreak caused by a new septic system in a dolomite aquifer. *Ground Water* Epub 2010 Feb 22.

Center of Disease Control (CDC) (2010). Adenovirus. Available from: <http://www.cdc.gov/ncidod/dvrd/revb/respiratory/eadfeat.htm>

Center of Disease Control (CDC) (2006). Rotavirus. Available from: <http://www.cdc.gov/ncidod/dvrd/revb/gastro/rotavirus.htm>

Coffey R., Cummins E., Cormican M., O'Flaherty V., Kelly S. (2007). Microbial exposure assessment of waterborne pathogens. *Human and Ecological Risk Assessment* **13**: 1313–1351.

Craun GF., Berger PS., Calderon RL. (1997). Coliform bacteria and waterborne disease outbreaks. *Journal of the American Water Works Association*. **89**:96-104.

Divizia M, Gabrieli R, Donia D, Macaluso A, Bosch A, Guix S, Sanchez; G, Villena C, Pinto RM, Palombi L, Buonomo E, Cenko F, Leno L,; Bebeci D, Bino S. 2004. Waterborne gastroenteritis outbreak in Albania. *Water Sci Technol* 50:57–5761.

Frost FJ., Kunde TR., Craun GF. (2002). Is contaminated groundwater an important cause of viral gastroenteritis in the United States? *J. Environ. Health*. 65, 9–14, 38; quiz 41–43.

Gallay A., De Valk H., Cournot M., Ladeuil B., Hemery C., Castor C. (2006). A large multipathogen waterborne community outbreak linked to fecal contamination of a groundwater system, France, 2000. *Clin. Microbiol. Infect.* **12**, 561-570.

Glass RL. (2006). New Hope for Defeating Rotavirus. *Scientific American*. April 2006

Gray NF. (2004). *Biology of wastewater treatment (1st Ed.)*. Imperial College Press

Health Protection Surveillance Centre (HPSC) (2014). Epidemiology of Norovirus in Ireland, 2013. Health Protection Surveillance Centre (HPSC) Report, 2014

Kearney K., Menton J., Morgan JG. (2007). Carlow virus, a 2002 GII.4 variant Norovirus strain from Ireland. *Virology Journal* **4**: 61.

Koroglu M., Yakupogullari Y., Otlu B., Ozturk S., Ozden M., Ozer A. (2011). A waterborne outbreak of epidemic diarrhea due to group A rotavirus in Malatya, Turkey. *New Microbiologica*. **34**: 17-24

Kukkula M., Arstila P., Klossner ML., Maunula L., Bonsdorff CH., Jaatinen P. (1997) Waterborne outbreak of viral gastroenteritis. *Scand. J. Infect. Dis.* **29** (1997), pp. 415–418.

Lee H., Kim M., Lee JE., Lim M., Kim MJ., Kim JM., Jheong WH., Kim J., Ko GP. (2011). Investigation of norovirus occurrence in groundwater in metropolitan Seoul, Korea. *Science of The Total Environment* **409**, 11, May 2011, pp 2078-2084.

Lindesmith L., Moe C., Marionneau S., Ruvoen N., Jiang X., Lindblad L. (2003). Human susceptibility and resistance to Norwalk virus infection. *Nat Med* **9** (5) (2003), pp. 548–553.

Macler BA., Merkle JC. (2000). Current knowledge on groundwater microbial pathogens and their control. *Hydrogeology Journal* **8**, p29-40.

Mena KD., Gerba CP. (2009). Waterborne adenovirus. *Rev. Environ. Contam. Toxicol.***198**:133-67

Merriam - Webster (2005). Merriam - Webster's Medical Desk Dictionary. Merriam-Webster, Inc.

Ogorzaly L., Bertrand I., Paris M., Maul A., Gantzer C. (2010) Survival, persistence and occurrence of human adenoviruses and F-specific RNA phages in raw groundwater. *Appl. Environ. Microbiol.* **76**. No 24 December 2010, p. 8019-8025.

Okoh AI., Sibanda T., Gusha SS. (2010). Inadequately Treated Wastewater as a Source of Human Enteric Viruses in the Environment. *Int. J. Environ. Res. Public Health*, **7**

Oliver SL., Dastjerdi AM., Wong S., El-Attar L., Gallimore C., Brown DW., Green J., Bridger JC. (2003). Molecular characterization of bovine enteric caliciviruses: a distinct third genogroup of noroviruses (Norwalk-like viruses) unlikely to be of risk to humans. *J. Virol.* **77** (2003), pp. 2789–2798.

Parshionikar SU., Willian-True S., Fout GS., Robbins DE., Seys SA., Cassady JD., Harris R. (2003). Waterborne outbreak of gastroenteritis associated with a norovirus. *Appl. Environ. Microbiol.* **69** (2003), pp. 5263–5268

Rigotto C., Victoria M., Moresco V., Kolesnikovas C., Corrêa A., Souza D., Miagostovich M., Simões C., Barardi C. (2010) Assessment of adenovirus, hepatitis A virus and rotavirus presence in environmental samples in Florianopolis, South Brazil. *Jour. Appl. Microbio.* **109**, Issue 6, pages 1979–1987, December 2010

Said MA., Perl TM., Sears CL. (2008). Healthcare epidemiology: gastrointestinal flu: norovirus in health care and long-term care facilities. *Clin. Infect. Dis.* **47**:1202-8

Sellwood J., Dadswell JV. (1991). Human viruses and water. In: Morgan-Capner, P. (Ed.), *Current Topics in Clinical Virology*. Public Health Laboratory Service, London, pp. 29–45.

Sobsey MD., Hall RM., Hazard RL. (1995). Comparative reduction of Hepatitis A Virus, Enterovirus and Coliphage MS2 in miniature soil columns. *Water Sci. Technol.* **31**(5-6):203-209.

Zheng DP., Widdowson MA., Glass RI., Vinjé J. (2010) Molecular epidemiology of genogroup II-genotype 4 noroviruses in the United States between 1994 and 2006. *J Clin Microbiol.* **48**(1):168–77.