

Cavan GWB: Summary of Initial Characterisation.

Hydrometric Area Local Authority	Associated surface water bodies	Associated terrestrial ecosystems	Area (km ²)
Hydrometric Area 36 Cavan Co. Co. Monaghan Co. Co. Longford Co. Co. Leitrim Co. Co.	Rivers: Annalee, Bunnoe, Cavan, Cullies, Dromore, Finn, Knappagh, Erne, Stradone, Laragh, Magheramey. Streams: Aghnacliffe, Avaghon Lake Stream, Laheen, Legga, Madabawn, 1100 unnamed. Lakes: see list below *	Lough Oughter and associated lakes (O’Riain, 2004)	1410
Topography	This large, SW-NE aligned GWB is bounded to the south, east and west by the topographic divide (Hydrometric Area 36). The northern boundary comprises more productive aquifers. The entire GWB is characterised by drumlin topography. Inter-drumlin elevations generally range from 5 mAOD around Lough Oughter (Killashandra GWB), to c.250 mAOD in the southeast. The drumlin peaks are generally an additional 40-60 m. There are also three higher areas in western and central region of the GWB, the highest of which rises to c.300 mAOD. Surface water generally feeds from the periphery of the GWB towards Lough Oughter, which then flows northwards towards Lough Erne.		
Geology and Aquifers	Aquifer type(s)	The vast majority of the GWB (c.98%) comprises PI: Poor aquifer, generally unproductive except for local zones. In the southwest, there is a small area of LI: Locally important aquifer, moderately productive only in local zones, and there is also a small outlier of Lm: Locally important aquifer, generally moderately productive, in the centre of the GWB.	
	Main aquifer lithologies	Essentially split by a SW-NE line across this GWB, the northern area is dominated by Ordovician Metasediments (54.22% of GWB) and the south by Silurian Metasediments and Volcanics (41.97%). Other rocks of note are two areas of Granites & other Igneous Intrusive Rocks (1.34%) and thin bands of Ordovician Volcanics (<0.5%) in the southern area. There are also Dinantian age rocks (2.17%) in the southwest and as the central outlier. Refer to Table 1 for details.	
	Key structures.	Being part of the Longford-Down Inlier, the rocks in this part of the country have been significantly deformed, resulting in a large number of approximately SW-NE faults with associated perpendicular faults e.g. Carrickateane, Orlock Bridge, Kehernagilly and Laragh Faults. Dips in the rock succession are variable but overall, appear to be to the SE by up to 80°.	
	Key properties	<p>Yields in this GWB are available for 65 wells and range from 4.4-1091 m³/d, averaging 143 m³/d. Of these, 3 have ‘excellent’ yields – 2 of which are located on a mapped fault – and 39 have ‘good’ yields, approximately half of which are in faulted zones. Only 3 specific capacity values are available for the higher yields, all of which are quite low: 6, 7 and 12 m³/d/m. These low specific capacities result in low productivity values for these wells (III; IV and IV). For the remaining poorer yielding wells, specific capacity values range from 0.1-19.9 m³/d/m, averaging 4.3 m³/d/m over are 23 values.</p> <p>Only one transmissivity value is available for this GWB: 0.23 m²/d for a low yielding well. The national transmissivity data for these rocks are also low (<20 m²/d in most rocks) or possibly moderate in the Silurian rocks (20-80 m²/d). However, higher values may be achieved in faulted zones, especially in the coarser-grained rocks, which may be exemplified by the ‘excellent’ and ‘good’ yields. The available specific dry weather flows are low, ranging from 0.01-0.55 l/s/km² (6 stations), suggesting that these aquifers do not make a significant baseflow contribution to streamflow. Storativity is also expected to be low.</p> <p>Of the c.320 available groundwater levels, 60% are 0-3 m below ground level and just over 12% area greater than 10 m bgl, indicating that flow is predominantly shallow. Groundwater gradients have not been calculated by are expected to be relatively steep.</p> <p><i>(Ordovician Aquifer Chapter; Silurian Aquifer Chapter)</i></p>	
	Thickness	Most groundwater flux will be in the uppermost part of the aquifer comprising a broken and weathered zone typically less than 3 m thick, as indicated by the predominantly shallow water levels, a zone of interconnected fissuring around 10 m thick, and a zone of isolated poorly connected fissuring typically less than 150 m. Water strikes of between 30-40 m bgl are noted 5 boreholes and an additional borehole (‘good’ yield) has strikes recorded at 43 and 82 m bgl. This suggests some deeper flow component, although it is likely to be very limited.	
Overlying Strata	Lithologies	The GWB is predominantly covered by till subsoil (71%), with a smaller proportion of peat (9%). Approximately 10% of the body is mapped as rock outcrop/shallow subsoil. There are no data for the western end of the GWB (c.4% of the area).	
	Thickness	Across the GWB, outcrop and borehole data suggest that the drumlins appear to represent a thicker deposit, frequently >10 m thick, with rock nearer the surface of the inter-drumlin areas. Generally, the southern half of the GWB has shallower subsoil.	
	% area aquifer near surface	[Information will be added at a later date]	
	Vulnerability	From the Monaghan GWPS, the vulnerability is predominantly classed as Extreme in the southeast of the GWB, and Low in the northeast, where deposits are less permeable and thicker. No data are available for Cavan or Leitrim however, the similar topography and outcrop distribution may suggest a similar pattern of vulnerability.	

1st Draft Cavan GWB Description – July 2004

Recharge	Main recharge mechanisms	Diffuse recharge occurs via rainfall percolating through the thinner/more permeable subsoil and via outcrops. Due to the low permeability of some of the subsoil (thicker till and peat) and the aquifers in the GWB, a high proportion of the available recharge will discharge to the streams in the GWB. In addition, the steep drumlin slopes will promote surface runoff. The high stream density is likely to be influenced by the lower permeability rocks as well as the subsoil.
	Est. recharge rates	<i>[Information will be added at a later date]</i>
Discharge	Important springs and high yielding wells	<p><i>Sources:</i> None identified.</p> <p><i>Springs:</i> None identified.</p> <p><i>Excellent Wells:</i> Cooltrimegish (1091 m³/d), Sallaghan (523 m³/d), Corrachulter (436 m³/d).</p> <p><i>Good Wells:</i> Drumloo (327 m³/d), Milltown (273 m³/d), Dromod (262 m³/d), Tirquin (259 m³/d), Poles (245 m³/d), Corglass (218 m³/d), Dernaroy (218 m³/d, 196 m³/d), Drumaveale (218 m³/d), Drumgola (218 m³/d), Garrybane (218 m³/d), Drumaua (218 m³/d), Ardrougher (196 m³/d), Drollagh (190 m³/d), Fastry (173 m³/d), Killycannan (153 m³/d), Killgary (153 m³/d), Tullyvin (149 m³/d, 120 m³/d), Annagelliff (131 m³/d), Bruse (131 m³/d), Brusky (131 m³/d), Carrickboy (131 m³/d), Cootehill (131 m³/d), Lismagratty (131 m³/d), Tievenanass (131 m³/d), Tullnahinnera (131 m³/d, 118 m³/d), Unshinagh (131 m³/d), Corduff (126 m³/d), Turfad (120 m³/d), Ardvarny (112 m³/d), Clonoose (109 m³/d), Derrycassan (109 m³/d), Lisnacark (109 m³/d), Moyne (109 m³/d), Mullaghoran (109 m³/d), Tullnanegish (109 m³/d), Carrickallen (103 m³/d).</p>
	Main discharge mechanisms	The main groundwater discharges are to the lakes and rivers and streams crossing the GWB, reflecting short groundwater flow paths. Small springs (of which a number are recorded) and seeps are likely to issue at the stream heads and along their course. Groundwater may also flow into the adjacent, higher permeability (Lm) GWB.
	Hydrochemical Signature	<p><i>National classification:</i> Ordovician/Silurian Metasediments</p> <p>Non-calcareous. Ca-Mg-HCO₃ signature. However, Cavan and Monaghan also have Ca-Mg-SO₄ recorded.</p> <p>Alkalinity (mg/l as CaCO₃): range of 9-470; mean of 172 (445 'non limestone subsoils' data points)</p> <p>Total Hardness (mg/l): range of 5-481; mean of 222 (389 'non limestone subsoils' data points)</p> <p>Conductivity (μS/cm): range of 80-477; mean of 490 (477 'non limestone subsoils' data points)</p> <p><i>(Calcareous/Non calcareous classification of bedrock in the Republic of Ireland report)</i></p>
Groundwater Flow Paths		In the absence of inter-granular permeability, groundwater flow is expected to be concentrated in fractured and weathered zones and in the vicinity of fault zones. Available groundwater levels are mainly 0-10 m below ground level (60% <3 mbgl). Flow paths are likely to be short (30-300 m) with groundwater discharging rapidly to nearby lakes, streams and small springs. There are observed deeper water strikes, indicating that there is a component of deep groundwater flow, however shallow groundwater flow is thought to dominant. Groundwater flow directions are expected to follow topography – overall in a northerly direction.
Groundwater & surface water interactions		Groundwater will discharge locally to streams and rivers crossing the aquifer and also to small springs and seeps. Owing to the poor productivity of the aquifers in this body it is unlikely that any major groundwater - surface water interactions occur. Baseflow to rivers and streams is relatively low.
Conceptual model	<ul style="list-style-type: none"> This large, SW-NE aligned GWB is bounded to the south, east and west by the topographic divides (Hydrometric Area 36). The northern boundary comprises more productive aquifers. The entire GWB is characterised by drumlin topography. Inter-drumlin elevations generally range from 5 mAOD to c.250 mAOD. There are also three higher areas in western and central region of the GWB, the highest of which rises to c.300 mAOD. The GWB is composed primarily of low transmissivity rocks. Most of the groundwater flux is in the uppermost part of the aquifer: comprising a broken and weathered zone typically less than 3m thick; a zone of interconnected fissuring typically less than 10m; and a zone of isolated fissuring typically less than 150m. Recharge occurs diffusely through the thin/permeable subsoil and via outcrops, although is limited by a thicker low permeability subsoil and the low permeability bedrock itself. Therefore, most of the effective rainfall is not expected to recharge the aquifer. Flow paths are likely to be short (30-300 m) with groundwater discharging rapidly to the lakes and streams crossing the aquifer, and to small springs and seeps. Overall, the flow direction is expected to be to the north and east, as determined by the topography. 	
Attachments		Figure 1. Figure 2. Table 1.
Instrumentation		<p>Stream gauges: 36010*, 36011*, 36012 *, 36015* (Present but not representative of flow in this GWB), 36016*, 36017*, 36018*, 36024, 36030, 36031, 36037, 36038, 36039, 36044, 36070, 36072, 36074, 36075, 36076, 36077, 36078, 36079, 36080, 36081, 36082, 36085, 36120, 36121, 36122, 36123, 36124, 36125, 36126, 36127, 36130, 36135, 36136, 36137, 36138, 36139, 36141, 36143, 36145, 36146, 36147, 36149, 36150, 36151, 36152, 36153, 36155, 36157, 36172, 36173, 36174, 36182, 36183, 36184, 36190, 36192, 36193, 36194, 36195, 36196, 36197, 36198.</p> <p>*Adjusted dry water flow data available for these</p> <p>EPA Water Level Monitoring boreholes: CAV141 (on boundary with Killashandra GWB), CAV161</p> <p>EPA Representative Monitoring points: CAV26, LEI67, MON14, MON17, MON18, MON19, MON23, MON28, MON29, MON31, MON44, MON46, MON53, MON55.</p>

1st Draft Cavan GWB Description – July 2004

Information Sources	<p>An Foras Forbartha and Geological Survey of Ireland (1981). <i>Groundwater Resources in the N.E. (R.D.O.) Region</i>; Main Report and Technical Appendices, Volumes 2, 3. 170pp.</p> <p>Geraghty, M., Farrelly, I., Claringbold, K., Jordan, C., Meehan, R., and Hudson, M., 1997. <i>Geology of Monaghan-Carlingford. A geological description to accompany the Bedrock Geology 1:100,000 Scale Map Series, Sheet 8/9, Monaghan-Carlingford</i>. Geraghty, M. (ed.). Geological Survey of Ireland. 60 p.</p> <p>McConnell, B., Philcox, M. and Geraghty, M., 2001. <i>Geology of Meath: A geological description to accompany the bedrock geology 1:100,000 scale map series, Sheet 13, Meath</i>. With contributions from J. Morris, W. Cox, G. Wright, and R. Meehan. Geological Survey of Ireland. 77 p.</p> <p>Morris J.H., Somerville I.D. and MacDermot C.V. (2002). <i>Geology of Longford-Roscommon</i>. A Geological Description to Accompany the Bedrock Geology 1:100,000 Bedrock Series Sheet 12. With contributions by D.G. Smith, M. Geraghty, B. McConnell, K. Carlingbold, W. Cox and M. Lee. Geological Survey of Ireland, 121pp.</p> <p>Swartz, M and Daly, D. (2002) <i>County Monaghan Groundwater Protection Scheme Report</i>. Main Report. Final Report to Monaghan County Council. Geological Survey of Ireland</p> <p>O' Riain, G. 2004. <i>Water Dependent Ecosystems and Subtypes (Draft)</i>. Compass Informatics in association with National Parks and Wildlife (DEHLG). WFD support projects.</p>
Disclaimer	Note that all calculation and interpretations presented in this report represent estimations based on the information sources described above and established hydrogeological formulae

*Lakes:

<p>Aghnacor Lough, Anagose Lake, Annagh Lough, Annaghard Lough, Annagheane Lough, Annaghierin Lough, Annaghkilly Lough, Annaghmakerig Lough, Annaghoash Lough, Annies Lough, Ardra Lough, Baraghy Lough, Barragh Lough, Barnagrow Lough, Bawndoorra Lough, Beaghmore Lough, Beaghy Lough, Bellatrain Lough, Black Lough, Bocks Lough, Bog Lough, Boraghy Lake, Bunchy Lough, Calloughs Lough, Carlin Lough, Carrickmore Lough, Carrigallen Lough, Carrs Lough, Carvagh Lough, Caseys Lough, Cashlan Lough, Castlecosby Lough, Claragh Lough, Clifferna Lough, Cloorcorick Lough, Closeagh Lough, Cloverhill Lough, Coaghen Lough, Coalkill Lough, Comertagh Lough, Cool trim Lough, Cooney Lough, Coppony Lough, Coraghy Lough, Corconnelly Lough, Cordonaghy Lough,</p>	<p>Cordoo Lough, Corfad Lough, Corfeehone Lough, Corgarve Lough, Corglass Lough Corkeeran Lough, Corlisbrattan Lough, Corlougharoe Lough, Cormeen Lough, Cornafean Lough, Cornagall Lough, Cornalara Lough, Corndvody Lough, Corr Lough, Corragarry Lough, Corraghy Lough, Corrakane Lough. Corraneary Lough, Corravohy Lough, Corravon Lough, Corrinshingo, Lough Corryloon or Oghill Cosekemduff Lough, Counternan Lough, Creeve Lake, Creeve Lake Upper, Crossduff Lough, Cullies Lough, Dernaweel Lough, Derry Lough, Derrygoany Lough, Derrylane Lough, Doogary Lough, Doohal Lough, Dromore Lough, Drum Lough, Drumand Lough, Drumart Lough, Drumate Lough, Drumbess Lough, Drumcalpin Lough, Drumcor Lough, Drumcrow Lough, Drumeague Lough Lr, Drumeena Lough,</p>	<p>Drumellis Lough, Drumgill Lough, Drumgola Lough, Drumgole Lough, Drumhay Lough, Drumherriff Lough, Druminnick Lough, Drumkilroosk Lough Drumlane Lake. Drumlona Lough, Drumlorn Lough, Drummany Lough, Drumsaul Drumsheil Lough, Dumb Lough, Dunroa Lough, Dunsrim Lough, Durracaun Lough, Enaghan Lough, Fartagh Lough, Feagh Lough, Gangin Lough, Gartinadress Lough, Garty Lough, Glasdrumman Lough, Gorknakillew Lough, Gortermone Lough, Graddum Lough, Greaghlone Lough, Green Lough, Guinikin Lough, Gulladoo Lough, Inner Lough, Island Lough, Keeny Lough, Kehernaghkilly Lough, Kill Lough, Killaliss Lough, Killfargy Lough, Killybandrick Lough Killydream Lough. Killymooney Lough, Killynenagh Lough, Killyrue Lough, Killyvaghan Lough, Kilnaleck Lough,</p>	<p>Kilycloughan Lough, Knockbride Lough, Lagan Lough, Laurel Lough, Lavey Lough, Leamgeltan Lough, Leebeen Lough, Lisabuck Lough, Lisakillewbane Lough, Lisclogher Lough, Lisdoagh Lough, Lismagonway Lough, Lisnakillewduff Lough, Lisnaneanagh Lough. Little Lough, Long Lough, Lough Acanon, Lough Aconnick, Lough Asturral, Lough Avattan, Lough Bane, Lough Bawn, Lough Beg, Lough Carnaman, Lough Clegg, Lough Dermot, Lough Egish, Lough Gail, Lough Gowna, Lough Islan, Lough Magon, Lough Major, Lough Mentas, Lough Mino, Lough Morne, Lough Mushlin, Lough Naback, Lough Nabelwy, Lough Nadarragh, Lough Naglare, Lough Namachree, Lough Shawn, Lough Sillan, Lough Skuddal, Lough Tacker, Loughapharton,</p>	<p>Lower Lough, Lurgacham Lough, Mill Lough, Mill Pond, Milltown Lough. Mosy's Lough, Moyduff Lough, Muddy Lough, Mullaghard Lough, Mullanary Lough, Mullinroe Lough, Oghill Lough, Omard Lough, Peartree Lough, Pleasure Lough, Portlongfield Lough, Pound Lough, Quarry Lough, Radeerpark, Rectory Lake, Rockfield Lough, Roosky Lough, Sallaghan Lough, Sarranseer Lough, Shankill Lough, Shantonagh Lough, Shatemon Lough, Shinan Lough, Skerrig Lough, Steepletons Lough, Swan Lough, Taghart Lough, Tattincake Lough, Tawlaght Lough, Tievaleny Lough, Tonyduff Lough, Tonyscallan Lough, Toome Or Crinkill Lo Town Lough, Tully South Lough, Tullyroan Lough, Urney Lough, White Lough, Wood Lough.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Figure 1. Location and boundaries of Cavan GWB.




Table 1. List of Rock units in Cavan GWB

Rock Unit Name	Code	Description	Rock Unit Group	Aquifer Class.	% Area
Red Island Formation	RI	Greywacke, microconglomerate & argillite	Ordovician Metasediments	PI	25.15
Lough Avaghon Formation	LA	Massive sandstone & microconglomerate	Silurian Metasediments and Volcanics	PI	20.71
Coronea Formation	CA	Turbidite, red shale, minor volcanic	Ordovician Metasediments	PI	17.82
Shercock Formation	SK	Fine to coarse grained turbidite	Silurian Metasediments and Volcanics	PI	8.25
Slieve Glah Formation	SG	Siltstone, mudstone & thin turbidite	Silurian Metasediments and Volcanics	PI	7.12
Finnalaghta Formation	FA	Blue-grey greywacke & black argillite	Ordovician Metasediments	PI	5.06
Cootehill Member	LAcl	Thin turbidite & turbiditic pelite	Silurian Metasediments and Volcanics	PI	3.07
Carrickateane Formation	CT	Greywacke with argillite & black shale	Ordovician Metasediments	PI	2.69
Crossdoney Granite	Cg	Hornblende-biotite granite	Granites & other Igneous Intrusive rocks	PI	1.05
Carrickatee Formation	CK	Black shale, mafic volcanics & tuffs	Ordovician Metasediments	PI	1.04
Red Island Formation	RI	Greywacke, conglomerate & argillite	Ordovician Metasediments	PI	0.91
Taghart Mountain Formation	TM	Turbidite, massive sandstone & siltstone	Silurian Metasediments and Volcanics	PI	0.83
Kehernaghkilly Formation	KY	Black shale & minor rhyolitic tuff	Ordovician Metasediments	PI	0.77
Dinantian Limestones (undiff.)	DIN	Limestone	Din. Mixed S'dstones, Shales and L'stones	Lm	0.61
Lough Avaghon Formation	LA	Massive sandstone & conglomerate	Silurian Metasediments and Volcanics	PI	0.58
Mullanalt Member	LAm	Siltstone, mudstone & fine greywacke	Silurian Metasediments and Volcanics	PI	0.51
Ballysteen Formation	BA	Dark muddy limestone, shale	Dinantian Lower Impure Limestones	LI	0.40
Lucan Formation	LU	Dark limestone & shale (calp)	Dinantian Upper Impure Limestones	LI	0.36
Meath Formation	ME	Limestone, calcareous sandstone	Din.(early) S'dstones, Shales and L'stones	LI	0.35
Pollareagh Member	SGph	Conglomerate	Silurian Metasediments and Volcanics	PI	0.35
Castlerahan Formation	RA	Dark quartz greywacke, microconglomerate	Silurian Metasediments and Volcanics	PI	0.30
Volcanics	mv	Mafic & felsic volcanic tuff	Ordovician Volcanics	PI	0.29
Corn Hill Formation	CH	Shale, greywacke & volcanoclastics	Ordovician Metasediments	PI	0.28
Laragh Formation	LH	Pyritic, graptolitic, black shale	Ordovician Metasediments	PI	0.27
Diorite	Di	Diorite	Granites & other Igneous Intrusive rocks	PI	0.25
Glen Lodge Formation	GE	Shale, minor sandstone & lava	Ordovician Metasediments	PI	0.24
Moathill Formation	MH	Limestone, calcareous sandstone, shale	Din.(early) S'dstones, Shales and L'stone	LI	0.22
Fearnaght Formation	FT	Pale conglomerate & red sandstone	Dinantian Sandstones	Lm	0.22
Aghnamullen Member	LAn	Thin turbidite & silt/mudstone	Silurian Metasediments and Volcanics	PI	0.18
Kilnaleck Shale Formation	KK	Dark grey laminated shale and mudrock	Silurian Metasediments and Volcanics	PI	0.08
Monzogranite	Ad	Monzogranite	Granites & other Igneous Intrusive rocks	PI	0.03
Laragh Formation	LH	Pyritic, graptolitic, black shale	Ordovician Metasediments	PI	0.01
Croghan Limestone Formation	CL	Dark cherty limestone, shale	Dinantian Pure Bedded Limestones	Pending	0.01
Arva Granodiorite	Av	Porphyritic granodiorite	Granites & other Igneous Intrusive rocks	PI	0.01

Figure 2. Groundwater hydrographs (EPA Groundwater Level Monitoring)

